


REV	DESCRIPTION	DATE	APPROVED
001	UPDATE PINOUT ON DRAWING (REMOVE 1-6)	3/20/09	D O'NEIL



MICRO DB-9 WIRING:

PIN 7	BLACK	GROUND
PIN 8	WHITE	OUTPUT 0-5VDC
PIN 9	RED	INPUT 6-16VDC

UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE IN INCHES.
 TOLERANCES:(UOS):
 .X = ± .02; .XX = ± .01; .XXX = ± .005
 HOLE DIAMETERS: ± .002; ANGLES: ± 0.5°
 SURFACE FINISH: 63 MICROINCHES
 MATERIAL:
 FINISH:

MicroStrain®

459 Hurricane Lane, Suite 102
 Williston, VT 05495
 802-862-6629

TITLE
DEMOD-DC2 MICRO DB-9 ASSEMBLY

THIS DRAWING AND SPECIFICATIONS ARE THE PROPERTY OF MICROSTRAIN INC. AND SHALL NOT BE PRODUCED WITHOUT PERMISSION FROM MICROSTRAIN INC.

DESIGNED BY:
 D O'NEIL

DRAWN BY:
 D O'Neil

CHECKED BY:
 D O'NEIL

APPROVED BY:
 B TRUTOR

SIZE	CAGE CODE	DWG NO:	REV
A	OXYZ9	3029-0002	002

SCALE 2:1	DATE: 3/20/2009	SHEET 1 OF 1
-----------	-----------------	--------------